

Structural Parameterizations with Modulator Oblivion

Ashwin Jacob

The Institute of Mathematical Sciences, HBNI, Chennai, India
ajacob@imsc.res.in

Fahad Panolan

Department of Computer Science and Engineering, IIT Hyderabad, India
fahad@cse.iith.ac.in

Venkatesh Raman

The Institute of Mathematical Sciences, HBNI, Chennai, India
vraman@imsc.res.in

Vibha Sahlot

The Institute of Mathematical Sciences, HBNI, Chennai, India
sahlotvibha@gmail.com

Abstract

It is known that problems like VERTEX COVER, FEEDBACK VERTEX SET and ODD CYCLE TRANSVERSAL are polynomial time solvable in the class of chordal graphs. We consider these problems in a graph that has at most k vertices whose deletion results in a chordal graph, when parameterized by k . While this investigation fits naturally into the recent trend of what are called “structural parameterizations”, here we assume that the deletion set is not given.

One method to solve them is to compute a k -sized or an approximate ($f(k)$ sized, for a function f) chordal vertex deletion set and then use the structural properties of the graph to design an algorithm. This method leads to at least $k^{\mathcal{O}(k)}n^{\mathcal{O}(1)}$ running time when we use the known parameterized or approximation algorithms for finding a k -sized chordal deletion set on an n vertex graph.

In this work, we design $2^{\mathcal{O}(k)}n^{\mathcal{O}(1)}$ time algorithms for these problems. Our algorithms do not compute a chordal vertex deletion set (or even an approximate solution). Instead, we construct a tree decomposition of the given graph in time $2^{\mathcal{O}(k)}n^{\mathcal{O}(1)}$ where each bag is a union of four cliques and $\mathcal{O}(k)$ vertices. We then apply standard dynamic programming algorithms over this special tree decomposition. This special tree decomposition can be of independent interest.

Our algorithms are, what are sometimes called *permissive* in the sense that given an integer k , they detect whether the graph has no chordal vertex deletion set of size at most k or output the special tree decomposition and solve the problem.

We also show lower bounds for the problems we deal with under the Strong Exponential Time Hypothesis (SETH).

2012 ACM Subject Classification Mathematics of computing → Graph algorithms; Theory of computation → Parameterized complexity and exact algorithms

Keywords and phrases Parameterized Complexity, Chordal Graph, Tree Decomposition, Strong Exponential Time Hypothesis

Digital Object Identifier 10.4230/LIPIcs.IPEC.2020.19

Related Version Full version available at <https://arxiv.org/abs/2002.09972>.

1 Introduction and Motivation

Main motivation for parameterized complexity and algorithms is that hard problems have a number of parameters in their input, and feasible algorithms can be obtained when some of these parameters tend to be small. However, barring width parameters (like treewidth and cliquewidth), early parameterizations of problems were mostly in terms of solution size.



© Ashwin Jacob, Fahad Panolan, Venkatesh Raman, and Vibha Sahlot;
licensed under Creative Commons License CC-BY

15th International Symposium on Parameterized and Exact Computation (IPEC 2020).

Editors: Yixin Cao and Marcin Pilipczuk; Article No. 19; pp. 19:1–19:18

Leibniz International Proceedings in Informatics



LIPICs Schloss Dagstuhl – Leibniz-Zentrum für Informatik, Dagstuhl Publishing, Germany

However starting from the work of Fellows et al. [16] and Jansen et al. [26, 17], there has been a lot of study on parameterizations by some structure of the input. The motivations for these parameterizations are that many problems are computationally easy on special classes of graphs like edge-less graphs, forests and interval graphs. Thus parameterizing by the size of a modulator (set of vertices in the graph whose removal results a graph in easy graph class) became a natural choice of investigation. Examples of such parameterizations include CLIQUE and FEEDBACK VERTEX SET parameterized by the size of minimum vertex cover (i.e., modulator to edge-less graphs), VERTEX COVER parameterized by the size of minimum feedback vertex set (i.e., modulator to forests) [26, 27]. See also [33, 34] for more such parameterizations.

We continue this line of work on problems in input graphs that are not far from a chordal graph. By distance to a chordal graph, we mean the minimum number of vertices in the graph whose deletion results in a chordal graph. We call this set as a chordal vertex deletion set (CVD). Specifically, we look at VERTEX COVER, FEEDBACK VERTEX SET and ODD CYCLE TRANSVERSAL and some generalizations of these problems, parameterized by the size of a CVD, as these problems are polynomial time solvable in chordal graphs [22, 38, 10].

In problems for which the parameter is the size of a modulator, it is also assumed that the modulator is given with the input. This assumption can be removed if finding the modulator is also fixed-parameter tractable (FPT) parameterized by the modulator size. However, there are instances where finding the modulator is more expensive than solving the problem if the modulator is given. For example, finding a subset of k vertices whose deletion results in a perfect graph is known to be W -hard [24], whereas if the deletion set is given, then one can show (as explained a bit later in this section) that VERTEX COVER (thus INDEPENDENT SET) is FPT when parameterized by the size of the deletion set.

Hence Fellows et al. [17] ask whether INDEPENDENT SET (or equivalently, VERTEX COVER) is FPT when parameterized by a (promised) bound on the vertex-deletion distance to a perfect graph, without giving a minimum deletion set in the input. While we do not answer this question, we address a similar question in the context of problems parameterized by the distance to chordal graphs, another well-studied class of graphs where VERTEX COVER is polynomial time solvable whereas the best-known algorithm to find a k -sized chordal deletion set takes $\mathcal{O}^*(k^{\mathcal{O}(k)})$ ¹ time [8]. We also do not know of a constant factor (FPT) approximation algorithm for CVD even with $2^{\mathcal{O}(k)}n^{\mathcal{O}(1)}$ running time. There are many recent results on polynomial time approximation algorithms for CHORDAL VERTEX DELETION [28, 1, 30] with the current best algorithm having a $\mathcal{O}(\text{opt} \log \text{opt})$ ratio, where opt is the size of minimum CVD [30]. If we use this approximation algorithm and do branching (see Section 1.1 below), then we can obtain a $2^{\mathcal{O}(k^2 \log k)}n^{\mathcal{O}(1)}$ time algorithm for VERTEX COVER.

Hence, in a similar vein to the question by Fellows et al., we ask whether (minimum) VERTEX COVER (and other related problems) can be solved in $\mathcal{O}^*(2^{\mathcal{O}(k)})$ time with only a promise on the size k of the chordal deletion set, and answer the question affirmatively. Our algorithms even go one step further, in not even needing the promise. They solve the problem or determine that the chordal deletion set is of size more than k .

¹ \mathcal{O}^* notation hides polynomial factor in the input length

Our Results. Specifically we give $\mathcal{O}^*(2^{\mathcal{O}(k)})$ algorithms for the problems defined below.

WEIGHTED d -COLORABLE SUBGRAPH BY CVD

Input: A graph $G = (V, E)$, a weight function $w : V(G) \rightarrow \mathbb{R}$ and $k, \ell, d \in \mathbb{N}$.

Parameter: k

Question: Determine if there is a vertex set X of weight at most ℓ in G such that $G - X$ is d -colorable or output that minimum chordal vertex deletion set of G is of size more than k ?

When $d = 1$ and $d = 2$, the problem reduces to WEIGHTED VERTEX COVER BY CVD (WVC BY CVD) and WEIGHTED ODD CYCLE TRANSVERSAL BY CVD (WOCT BY CVD) where we require the graph $G - X$ to be an independent set and bipartite, respectively. We also define WEIGHTED FEEDBACK VERTEX SET BY CVD (WFVS BY CVD) where we require the graph $G - X$ to be a forest.

If all the weights are 1, we call them the unweighted version of these problems. We remark that our algorithms do not necessarily address the question of whether the input graph has a CVD of size at most k , and may actually solve the problem sometimes even when the CVD size is more than k .

We also show that the unweighted versions of all the problems mentioned above cannot be solved in $\mathcal{O}^*((2 - \epsilon)^k)$ time under Strong Exponential Time Hypothesis (SETH) even if a CVD of size k is given as part of the input. This matches the upper bound of the known algorithm for WVC BY CVD when the modulator is given.

1.1 Related Work

When CVD is given. If we are given a CVD S of size k along with an n -vertex graph G as the input, then one can easily get a $2^k n^{\mathcal{O}(1)}$ time algorithm (call it \mathcal{A}) for VERTEX COVER as follows. First, we guess the subset X of S that is part of our solution. Let Y be the subset of vertices in $V(G) \setminus S$ such that for each $y \in Y$ there is an edge between y and a vertex in $S \setminus X$. Clearly, $X \cup Y$ is part of the VERTEX COVER solution and it will cover all the edges incident on S . Then we are left with finding an optimum weighted vertex cover in $G - (S \cup Y)$ which is a chordal graph. This can be done in polynomial time. As we have 2^k choices for X , the total running time of the algorithm is $2^k n^{\mathcal{O}(1)}$. An FPT algorithm with $\mathcal{O}^*(k^{\mathcal{O}(k)})$ time for WFVS BY CVD is given by Jansen et al [29] where they first find the modulator. This algorithm follows the algorithm to find a minimum FVS in bounded treewidth graphs and a similar trick works for ODD CYCLE TRANSVERSAL too, when the modulator is given.

When the modulator is given, the FPT algorithms discussed above have been generalized for other problems and other classes of graphs (besides those that are k away from the class of chordal graphs). Let Φ be a Counting Monadic Second Order Logic (CMSO) formula and $t \geq 0$ be an integer. For a given graph $G = (V, E)$, the task is to maximize $|X|$ subject to the following constraints: there is a set $F \subseteq V$ such that $X \subseteq F$, the subgraph $G[F]$ induced by F is of treewidth at most t , and structure $(G[F], X)$ models Φ . Note that the problem corresponds to finding a minimum vertex cover and a minimum feedback vertex set when $t = 0$ and $t = 1$ respectively when Φ is a tautology. For a polynomial $poly$, let G_{poly} be the class of graphs such that, for any $G \in G_{poly}$, graph G has at most $poly(n)$ minimal separators. Fomin et al [20] gave a polynomial time algorithm for solving this optimization problem on the graph class G_{poly} . Consider $G_{poly} + kv$ to be the graph class formed from G_{poly} where to each graph we add at most k vertices of arbitrary adjacencies. Liedloff et al. [31] further proved that, the above problem is FPT on $G_{poly} + kv$, with parameter k ,

where the modulator is also a part of input. As a chordal graph has polynomially many minimal separators [22], we obtain that WVC BY CVD and WFVS BY CVD are FPT when the modulator is given.

Other “permissive” problems. Similar problems have been termed as “permissive problems” in the context of testing satisfiability of CSPs (constraint satisfaction problems) with small sized strong backdoors [21]. While detecting strong backdoors to a general CSP is hard, the authors address the question of satisfiability of CSPs where the backdoor set is not given, and the algorithm was supposed to solve satisfiability or determine that the backdoor set size is more than k .

An example line of work where faster constant factor approximation algorithm is available, is in the context of optimization problems parameterized by treewidth. For example, the INDEPENDENT SET problem parameterized by treewidth of the graph tw can be solved using standard dynamic programming (DP) in $2^{tw} \cdot tw^{O(1)} \cdot n$ time [12]. But the best known algorithm for outputting a tree-decomposition of minimum width takes time $tw^{O(tw^3)}n$ [2]. Thus, the total running time is $tw^{O(tw^3)}n$, when a tree decomposition is not given as an input. But one can overcome this by obtaining a tree decomposition of width $5tw$ in time $2^{O(tw)}n$ [4] and then applying the DP algorithm over the tree decomposition.

One previous example we know of a parameterized problem where the FPT algorithm solves the problem without the modulator or even the promise, is VERTEX COVER parameterized by the size of KÖNIG VERTEX DELETION set k . A König vertex deletion set of G is a subset of vertices of G whose removal results in a graph where the size of its minimum vertex cover and maximum matching are the same. In VERTEX COVER BY KÖNIG VERTEX DELETION, we are given graph $G = (V, E)$, $k, \ell \in \mathbb{N}$ and an assumption that there exists a König vertex deletion set of size k in G , here k is parameter. We want to ask whether there exist a vertex cover of size ℓ in G ? Lokshtanov et al. [32] solve VERTEX COVER BY KÖNIG VERTEX DELETION in $\mathcal{O}^*(1.5214^k)$ time without the promise.

Finally we remark that there is an analogous line of work in the classical world of polynomial time algorithms. For example, it is known that finding a maximum clique in a unit disk graph is polynomial time solvable given a unit disk representation of the unit disk graph [9], though it is *NP*-hard to recognize whether a given graph is a unit disk graph [7]. Raghavan and Spinrad [36] give a permissive algorithm that given a graph either finds a maximum clique in the graph or outputs a certificate that the given graph is not a unit disk graph. See also [6, 23, 20] for some other examples of permissive algorithms.

1.2 Our Techniques

The first step in our algorithms is to obtain, what we call a semi clique tree decomposition of the given graph if one exists. It is known [22] that every chordal graph has a clique-tree decomposition, i.e., a tree decomposition where every bag is a clique in the graph. If the modulator is given, then we can add it to each bag, and obtain a tree-decomposition where each bag is a clique plus at most k vertices. In our case (where the modulator is not given), we obtain a tree decomposition in $2^{O(k)}n^{O(1)}$ time where each bag can be partitioned into $C \uplus N$, where C can be covered by at most 4 cliques in G and $|N| \leq 7k + 5$. Here we also know a partition $C_1 \uplus C_2 \uplus C_3 \uplus C_4$ of C where each C_i is a clique. We call this tree decomposition a $(4, 7k + 5)$ -semi clique tree decomposition. Our result in this regard is formalized in the following theorem.

► **Theorem 1.** *There is an algorithm that given a graph G and an integer k runs in time $\mathcal{O}(2^{7k} \cdot (kn^4 + n^{\omega+2}))$ where ω is the matrix multiplication exponent and either constructs a $(4, 7k + 5)$ -semi clique tree decomposition \mathcal{T} of G or concludes that there is no chordal vertex deletion set of size k in G . Moreover, the algorithm also provides a partition $C_1 \uplus C_2 \uplus C_3 \uplus C_4 \uplus N$ of each bag of \mathcal{T} such that $|N| \leq 7k + 5$ and C_i is a clique in G for all $i \in \{1, 2, 3, 4\}$.*

After getting a $(4, 7k + 5)$ -semi clique tree decomposition, we then design DP algorithms for VERTEX COVER, FEEDBACK VERTEX SET and ODD CYCLE TRANSVERSAL on this tree decomposition. Since the vertex cover of a clique has to contain all but one vertex of the clique, the number of ways the solution might intersect a bag of the tree is at most $\mathcal{O}(2^{7k}n^4)$. Using this fact, one can bound the running time for the DP algorithm to $\mathcal{O}(2^{7k}n^5)$. The overall running time would be the sum of the time taken to construct a $(4, 7k + 5)$ -semi clique tree decomposition and the time of the DP algorithm on this tree decomposition which is bounded by $\mathcal{O}(2^{7k}n^5)$. In the case of FEEDBACK VERTEX SET and ODD CYCLE TRANSVERSAL, again from each clique all but two vertices will be in the solution. Using this fact one can bound the running time of WFVS BY CVD and WOCT BY CVD to be $\mathcal{O}^*(2^{\mathcal{O}(k)})$.

Very recently, Fomin and Golovach [18] give subexponential algorithms to various problems on graphs which can be turned into a chordal graph by adding k edges. Similar to the line of work in this paper, they come up with an almost-clique tree decomposition (where each bag can be converted to a clique by adding k edges) and then apply dynamic programming algorithms on this tree decompositions. We use the dynamic programming algorithms in this paper on the tree decomposition we constructed to give algorithms for WEIGHTED d -COLORABLE SUBGRAPH parameterized by minimum CVD size.

Organization of the paper. In Section 2, we state the notations used in this paper and give the necessary preliminaries on tree decomposition and parameterized complexity. In Section 3, we prove Theorem 1. In Section 4, we first address WEIGHTED d -COLORABLE SUBGRAPH BY CVD using dynamic programming on semi clique tree decomposition. We then give more direct and faster algorithms for WVC BY CVD and WOCT BY CVD and also for WFVS BY CVD. We then conclude this section with lower bounds on these problems assuming SETH.

2 Preliminaries

For $n \in \mathbb{N}$, $[n]$ denotes the set $\{1, \dots, n\}$. We use $A \uplus B$ to denote the set formed from the union of disjoint sets A and B . For a function $w : X \rightarrow \mathbb{R}$, we use $w(D) = \sum_{x \in D} w(x)$.

For $V' \subseteq V$, $G[V']$ and $G - V'$ denote the graph induced on V' and $V \setminus V'$, respectively. For a vertex $v \in V$, $G - v$ denotes the graph $G - \{v\}$. For a vertex $v \in V$, $N_G(v)$ and $N_G[v]$ denote the open neighborhood and closed neighborhood of v , respectively. That is, $N_G(v) = \{u : \{v, u\} \in E\}$ and $N_G[v] = N_G(v) \cup \{v\}$. Also we define for a subset $X \subseteq V(G)$, $N_G(X) = \bigcup_{v \in X} (N_G(v) \setminus X)$ and $N_G[X] = N_G(X) \cup X$. We omit the subscript G , when the graph is clear from the context.

We use the term graph for a simple undirected graph without loops and parallel edges. For a graph G , we use $V(G)$ and $E(G)$ to denote its vertex set and edge set, respectively. A graph is *chordal* if it does not contain a cycle of length greater than or equal to 4 as an induced subgraph. A subset $S \subseteq V(G)$ such that $G - S$ is a chordal graph is called a *chordal vertex deletion set*. We say that a graph G is a union of ℓ cliques if $V(G) = V_1 \uplus \dots \uplus V_\ell$ and V_i is a clique in G for all $i \in \{1, \dots, \ell\}$. We use standard notation and terminology from the book [14] for graph-related terms which are not explicitly defined here.

19:6 Structural Parameterizations with Modulator Oblivion

A graph G is k -colorable if its vertices can be colored in such a way that the endpoints of every edge of G has two different colors.

► **Definition 2** (Separator and Separation). *Given a graph G and vertex subsets $A, B \subseteq V(G)$, a subset $C \subseteq V(G)$ is called a separator of A and B if every path from a vertex in A to a vertex in B (we call it $A - B$ path) contains a vertex from C . A pair of vertex subsets (A, B) is a separation in G if $A \cup B = V(G)$ and $A \cap B$ is a separator of $A \setminus B$ and $B \setminus A$.*

► **Definition 3** (Balanced Separator and Balanced Separation). *For a graph G , a weight function $w : V(G) \rightarrow \mathbb{R}_{\geq 0}$ and $0 < \alpha < 1$, a set $S \subseteq V(G)$ is called an α -balanced separator of G with respect to w if for any connected component C of $G - S$, $w(V(C)) \leq \alpha \cdot w(V(G))$. A pair of vertex subsets (A, B) is an α -balanced separation in G with respect to w if (A, B) is a separation in G and $w(A \setminus B) \leq \alpha \cdot w(V(G))$ and $w(B \setminus A) \leq \alpha \cdot w(V(G))$.*

► **Definition 4** (Tree decomposition). *A tree decomposition of a graph G is a pair $\mathcal{T} = (T, \{X_t\}_{t \in V(T)})$, where T is a tree and for any $t \in V(T)$, a vertex subset $X_t \subseteq V(G)$ is associated with it, called a bag, such that the following conditions holds.*

- $\bigcup_{t \in V(T)} X_t = V(G)$.
- For any edge $\{u, v\} \in E(G)$, there is a node $t \in V(T)$ such that $u, v \in X_t$.
- For any vertex $u \in V(G)$, the set $\{t \in V(T) : u \in X_t\}$ of nodes induces a connected subtree of T .

The width of the tree decomposition \mathcal{T} is $\max_{t \in V(T)} |X_t| - 1$ and the treewidth of G is the minimum width over all tree decompositions of G .

► **Proposition 5** ([15]). *Let G be a graph and C be a clique in G . Let $\mathcal{T} = (T, \{X_t\}_{t \in V(T)})$ be a tree decomposition of G . Then, there is a node $t \in V(T)$ such that $C \subseteq X_t$.*

► **Definition 6** (Clique tree decomposition). *A clique tree decomposition of a graph G is a tree decomposition $\mathcal{T} = (T, \{X_t\}_{t \in V(T)})$ where X_t is a clique in G for all $t \in V(T)$.*

► **Proposition 7** ([22]). *A graph is chordal if and only if it has a clique tree decomposition.*

► **Definition 8**. *A graph G is called an (c, ℓ) -semi clique if there is a partition $C \uplus N$ of $V(G)$ such that $G[C]$ is a union of at most c cliques and $|N| \leq \ell$.*

► **Definition 9** ((c, ℓ) -semi clique tree decomposition). *For a graph G and $c, \ell \in \mathbb{N}$, a tree decomposition $\mathcal{T} = (T, \{X_t\}_{t \in V(T)})$ of G is a (c, ℓ) -semi clique tree decomposition if $G[X_t]$ is a (c, ℓ) -semi clique for each $t \in V(T)$.*

We define the NODE MULTIWAY CUT problem where we are given an input graph $G = (V, E)$, a set $T \subseteq V$ of terminals and an integer k . We want to ask whether there exists a set $X \subseteq V \setminus T$ of size at most k such that any path between two different terminals intersects X .

We use the following lemma in Section 3.

► **Proposition 10** ([19]). *Let T be a tree and $x, y, z \in V(T)$. Then there exists a vertex $v \in V(T)$ such that every connected component of $T - v$ has at most one vertex from $\{x, y, z\}$.*

SETH. For $q \geq 3$, let δ_q be the infimum of the set of constants c for which there exists an algorithm solving q -SAT with n variables and m clauses in time $2^{cn} \cdot m^{\mathcal{O}(1)}$. The *Strong Exponential-Time Hypothesis (SETH)* conjectures that $\lim_{q \rightarrow \infty} \delta_q = 1$. SETH implies that CNF-SAT on n variables cannot be solved in $\mathcal{O}^*((2 - \epsilon)^n)$ time for any $\epsilon > 0$.

For definitions and notions on parameterized complexity, we refer to [12]. Throughout the paper, ω denotes the matrix multiplication exponent.

3 Semi Clique Tree Decomposition

Given a graph G and an integer k , our aim is to construct a $(4, 7k + 5)$ -semi clique tree decomposition \mathcal{T} of G or conclude that G has no CVD of size at most k . We loosely follow the ideas used for the tree decomposition algorithm in [37] to construct a tree decomposition of a graph G of width at most $4\text{tw}(G) + 4$, where $\text{tw}(G)$ is the tree width of G . But before that we propose the following lemmas that we use in getting the required $(4, 7k + 5)$ -semi clique tree decomposition.

► **Lemma 11.** *Let G be a graph having a CVD of size k . Then G has a $(1, k)$ -semi clique tree decomposition.*

► **Lemma 12.** *For a graph G on n vertices with a CVD of size k , the number of maximal cliques in G are bounded by $\mathcal{O}(2^k \cdot n)$. Furthermore, there is an algorithm that given any graph G either concludes that there is no CVD of size k in G or enumerates all the maximal cliques of G in $\mathcal{O}(2^k \cdot n^{\omega+1})$ time where ω is the matrix multiplication exponent.*

Proof. Let $X \subseteq V(G)$ be of size at most k such that $G - X$ is a chordal graph. For any maximal clique C in G let $C_X = C \cap X$ and $C_{G-X} = C \setminus X$. Since $G - X$ is a chordal graph, it has at most $n - k$ maximal cliques [22].

We claim that for a subset $C_X \subseteq X$ and a maximal clique Q in $G - X$, there is at most one subset $Q' \subseteq Q$ such that $C_X \cup Q'$ forms a maximal clique in G . If there are two distinct subsets Q_1, Q_2 of Q such that $C_X \cup Q_1$ and $C_X \cup Q_2$ are cliques in G , then $C_X \cup Q_1 \cup Q_2$ is a clique larger than the cliques $C_X \cup Q_1$ and $C_X \cup Q_2$. Thus, since there are at most 2^k subsets of X and at most n maximal cliques in G , the total number of maximal cliques in G is upper bounded by $2^k(n - k)$.

There is an algorithm that given a graph H , enumerates all the maximal cliques of H with $\mathcal{O}(|V(H)|^\omega)$ delay (the maximum time taken between outputting two consecutive solutions) [35]. If G has a CVD of size k , there are at most $2^k n$ maximal cliques in G which can be enumerated in $\mathcal{O}(2^k n^{\omega+1})$ time. So the algorithm to enumerate clique runs for at most $2^k n + 1$ rounds, if we note that the number of maximal cliques enumerated is more than $2^k n$ then we return that G has no CVD of size k . ◀

► **Lemma 13.** *Let G be a graph having a CVD of size k and $w : V(G) \rightarrow \mathbb{R}_{\geq 0}$ be a weight function on $V(G)$. There exists a $\frac{2}{3}$ -balanced separation (A, B) of G with respect to w such that the graph induced on the corresponding separator $G[A \cap B]$ is a $(1, k)$ -semi clique.*

Proof. First we prove that there is a $\frac{1}{2}$ -balanced separator X such that $G[X]$ is a $(1, k)$ -semi clique. By Lemma 11, there is a $(1, k)$ -semi clique tree decomposition $\mathcal{T} = (T, \{X_t\}_{t \in V(T)})$ of G . Arbitrarily root the tree of T at a node $r \in V(T)$. For any node $y \in V(T)$, let T_y denote the subtree of T rooted at node y and G_y denote the graph induced on the vertices of G present in the bags of nodes of T_y . That is $V(G_y) = \bigcup_{t \in V(T_y)} X_t$. Let t be the farthest node of T from the root r such that $w(V(G_t)) > \frac{1}{2}w(V(G))$. That is, for all nodes $t' \in V(T_t) \setminus \{t\}$, we have that $w(V(G_{t'})) \leq \frac{1}{2}w(V(G))$.

We claim that $X = X_t$ is a $\frac{1}{2}$ -balanced separator of G . Let t_1, \dots, t_p be the children of t . Since X is a bag of the tree decomposition \mathcal{T} , each of the connected components of $G - X$ are contained either in $G_{t_i} - X$ for some $i \in [p]$ or $G[V(G) \setminus V(G_t)]$. Since $w(V(G_t)) > \frac{1}{2}w(V(G))$, we have $w(V(G) \setminus V(G_t)) < \frac{1}{2}w(V(G))$. By the choice of t , we have $w(V(G_{t_i})) \leq \frac{1}{2}w(V(G))$ for all $i \in [p]$.

Now we define a $\frac{2}{3}$ -balanced separation (A, B) for G such that the set $X = A \cap B$ ($\frac{1}{2}$ balanced separator). Let D_1, \dots, D_q be the vertex sets of the connected components of $G - X$. Let $a_i = w(D_i)$ for all $i \in [q]$. Without loss of generality, assume that $a_1 \geq \dots \geq a_q$.

Let q' be the smallest index such that $\sum_{i=1}^{q'} a_i \geq \frac{1}{3}w(V(G))$ or $q' = q$ if no such index exists. Clearly, $\sum_{i=q'+1}^q a_i \leq \frac{2}{3}w(V(G))$. We prove that $\sum_{i=1}^{q'} a_i \leq \frac{2}{3}w(V(G))$. If $q' = 1$, $\sum_{i=1}^{q'} a_i = a_{q'} \leq \frac{1}{2}w(V(G))$ and we are done. Else, since q' is the smallest index such that $\sum_{i=1}^{q'} a_i \geq \frac{1}{3}w(V(G))$, we have $\sum_{i=1}^{q'-1} a_i < \frac{1}{3}w(V(G))$. We also note that $a_{q'} \leq a_{q'-1} \leq \sum_{i=1}^{q'-1} a_i < \frac{1}{3}w(V(G))$. Hence $\sum_{i=1}^{q'} a_i = \sum_{i=1}^{q'-1} a_i + a_{q'} < \frac{2}{3}w(V(G))$.

Now we define $A = X \cup \bigcup_{i \in [q']} D_i$ and $B = X \cup \bigcup_{i \in [q] \setminus [q']} D_i$. Notice that $X = A \cap B$ and (A, B) is a separation of G . Also notice that $w(A \setminus B) = \sum_{i=1}^{q'} a_i \leq \frac{2}{3}w(V)$ and $w(B \setminus A) = \sum_{i=q'+1}^q a_i \leq w(V(G)) - \frac{1}{3}w(V(G)) = \frac{2}{3}w(V(G))$ as $\sum_{i=1}^{q'} a_i \geq \frac{1}{3}w(V(G))$. Since X is a bag of the tree decomposition \mathcal{T} , $G[X]$ is a $(1, k)$ -semi clique. ◀

Using Lemmas 12 and 13, we obtain the following corollary.

► **Corollary 14.** *Let G be a graph with a CVD of size k . Let $N \subseteq V(G)$ with $5k + 3 \leq |N| \leq 6k + 4$. Then there exists a partition (N_A, N_B) of N and a vertex subset $X \subseteq V(G)$ satisfying the following properties.*

- $|N_A|, |N_B| \leq 4k + 2$.
- X is a vertex separator of N_A and N_B in the graph G .
- $G[X]$ is a $(1, k)$ -semi clique.

Moreover, there is an algorithm that given any graph G , either concludes that there is no CVD of size k in G or computes such a partition (N_A, N_B) of N and the set X in $\mathcal{O}(2^{7k} \cdot (kn^3 + n^{\omega+1}))$ time.

Proof. Let us define a weight function $w : V(G) \rightarrow \mathbb{R}_{\geq 0}$ such that $w(v) = 1$ if $v \in N$ and 0 otherwise. From Lemma 13, we know that there exists a pair of vertex subsets (A, B) which is the balanced separation of G with respect to w where the graph induced on the corresponding separator $G[A \cap B]$ is a $(1, k)$ -semi clique.

Let us define the partition (N_A, N_B) . We add $(A \setminus B) \cap N$ to N_A and $(B \setminus A) \cap N$ to N_B . Since (A, B) is a balanced separation of G with respect to w , $|(A \setminus B) \cap N|, |(B \setminus A) \cap N| \leq \frac{2}{3}|N| \leq 4k + 2$. For each vertex $u \in (A \cap B) \cap N$, we iteratively add u to the currently smaller of the two sets of N_A and N_B . Since $|N| \leq 6k + 4 \leq 2 \cdot (4k + 2)$, we have $|N_A|, |N_B| \leq 4k + 2$ even after this process. This shows the existence of subsets N_A, N_B and $X = A \cap B$. But the proof is not constructive as the existence of (A, B) uses the $(1, k)$ -semi clique tree decomposition of G which requires the chordal vertex deletion set.

We now explain how to compute these subsets without the knowledge of a $(1, k)$ -semi clique tree decomposition of G . Let $X = C'' \uplus N''$ where C'' is a clique and $|N''| \leq k$. We use Lemma 12 to either conclude that G has no CVD of size k or go over all maximal cliques of G to find a maximal clique D such that $C'' \subseteq D$. We can conclude that in the remaining graph $G[V \setminus D]$, there exists a separator $Z \subseteq N'' = X \setminus C''$ of size at most k for the sets N_A and N_B .

We go over all $2^{|N|} \leq 2^{6k+4}$ 2-partitions of N to guess the partition (N_A, N_B) . Then we apply the classic Ford-Fulkerson maximum flow algorithm to find the separator Z of the sets N_A and N_B in the graph $G[V \setminus D]$. If $|Z| > k$, we can conclude that G has no CVD of size k in G . Thus, we obtained a set $X' = D \uplus Z$ such that $G[X']$ is a $(1, k)$ -semi clique and X' is a vertex separator of N_A and N_B in the graph G .

Now we estimate the time taken to obtain these sets. We first go over all $\mathcal{O}(2^k \cdot n)$ maximal cliques of the graph which takes $\mathcal{O}(2^k \cdot n^{\omega+1})$ time. Then for each of the $\mathcal{O}(2^k \cdot n)$ maximal cliques, we go over at most 2^{6k+4} guesses for N_A and N_B . Finally we use the Ford-Fulkerson maximum flow algorithm to find the separator of size at most k for N_A and N_B which takes $\mathcal{O}(k(n+m))$ time. Overall the running time is $\mathcal{O}(2^k \cdot n^{\omega+1} + (2^k n) \cdot 2^{6k} \cdot (k(n+m))) = \mathcal{O}(2^{7k} \cdot (kn^3 + n^{\omega+1}))$. ◀

► **Lemma 15.** *Let G be a graph having a CVD of size k . Let C_1, C_2, C_3 be three distinct cliques in G . Then there exists a vertex subset $X \subseteq V(G)$ such that $G[X]$ is a $(1, k)$ -semi clique and X is a separator of C_i and C_j for all $i, j \in \{1, 2, 3\}$ and $i \neq j$. Moreover, there is an algorithm that given any graph G , either concludes that there is no CVD of size k in G or computes X in $\mathcal{O}(4^k \cdot (kn^3 + n^{\omega+1}))$ time.*

Proof. By Lemma 11, there is a $(1, k)$ -semi clique tree decomposition $\mathcal{T} = (T, \{X_t\}_{t \in V(T)})$ of G . By Proposition 5, we know that there exist nodes $t_1, t_2, t_3 \in V(T)$ such that $C_1 \subseteq X_{t_1}$, $C_2 \subseteq X_{t_2}$ and $C_3 \subseteq X_{t_3}$. If two of the three nodes t_1, t_2, t_3 is the same node t , then it can be easily seen that $X = X_t$ is the required separator as only at most one of C_1, C_2 , and C_3 remains after its deletion.

Hence assume that all three nodes t_1, t_2, t_3 are distinct. From Proposition 10, we know that there exists a node $t \in V(T)$ such that (i) t_1, t_2 and t_3 are in different connected components of $T - t$. We claim that $X = X_t$ is the required separator. Since X is a bag in the $(1, k)$ -semi clique tree decomposition \mathcal{T} , $G[X]$ is a $(1, k)$ -semi clique. Because of statement (i), we have that X is a separator of C_i and C_j for all $i, j \in \{1, 2, 3\}$ and $i \neq j$. The proof is not constructive as we do not have a $(1, k)$ -semi clique tree decomposition of G .

We compute a set X' such that $G[X']$ is a $(1, k)$ -semi clique and X' is a separator of C_i and C_j for all $i, j \in \{1, 2, 3\}$ and $i \neq j$, without the knowledge of a $(1, k)$ -semi clique tree decomposition of G . Let $X = C'' \uplus N''$ where C'' is a clique and $|N''| \leq k$. Using Lemma 12, we either conclude that G has no CVD of size k or we go over all the maximal cliques of the graph G . We know that $C'' \subseteq D$ for one of such maximal cliques D . Now in the graph $G[V \setminus D]$, we know that there exists a set $Z \subseteq N'' = X \setminus C''$ of size at most k which separates the cliques $C_x \setminus D, C_y \setminus D$ and $C_z \setminus D$. To find Z , we add three new vertices x', y' and z' . We make x' adjacent to all the vertices of $C_x \setminus D$, y' adjacent to all the vertices of $C_y \setminus D$ and z' adjacent to all the vertices of $C_z \setminus D$. We find the node multiway cut Y of size at most k with the terminal set being $\{x', y', z'\}$. The set Y can be found in $\mathcal{O}(2^k km)$ using the known algorithm for node multiway cut [13, 25]. If the algorithm returns that there is no such set Y of size k , we conclude that there is no CVD of size at most k in G . Else we get a set $X' = D \uplus Y$ which satisfies the properties of X .

Now we estimate the time taken to obtain X' . We get all the $\mathcal{O}(2^k \cdot n)$ maximal cliques of the graph in $\mathcal{O}(2^k \cdot n^{\omega+1})$ time. Now for each maximal clique we use the $\mathcal{O}(2^k km)$ algorithm for node multiway cut. Thus, the overall running time is $\mathcal{O}(2^k \cdot n^{\omega+1} + (2^k n) \cdot (2^k km)) = \mathcal{O}(4^k \cdot (kn^3 + n^{\omega+1}))$. ◀

Now we prove our main result (i.e., Theorem 1) in this section. For convenience we restate it here.

Theorem 1. *There is an algorithm that given a graph G and an integer k runs in time $\mathcal{O}(2^{7k} \cdot (kn^4 + n^{\omega+2}))$ and either constructs a $(4, 7k + 5)$ -semi clique tree decomposition \mathcal{T} of G or concludes that there is no chordal vertex deletion set of size k in G . Moreover, the algorithm also provides a partition $C_1 \uplus C_2 \uplus C_3 \uplus C_4 \uplus N$ of each bag of \mathcal{T} such that $|N| \leq 7k + 5$ and C_i is a clique in G for all $i \in \{1, 2, 3, 4\}$.*

Proof. We assume that G is connected as if not we can construct a $(4, 7k + 5)$ -semi clique tree decomposition for each connected components of G and attach all of them to a root node whose bag is empty to get the required $(4, 7k + 5)$ -semi clique tree decomposition of G .

To construct a $(4, 7k + 5)$ -semi clique tree decomposition \mathcal{T} , we define a recursive procedure $\text{Decompose}(W, S, d)$ where $S \subset W \subseteq V(G)$ and $d \in \{0, 1, 2\}$. The procedure returns a rooted $(4, 7k + 5)$ -semi clique tree decomposition of $G[W]$ such that S is contained in the root bag of the tree decomposition. The procedure works under the assumption that the following invariants are satisfied.

19:10 Structural Parameterizations with Modulator Oblivion

- $G[S]$ is a $(d, 6k + 4)$ -semi clique and $W \setminus S \neq \emptyset$.
- $S = N_G(W \setminus S)$. Hence S is called the *boundary* of the graph $G[W]$.

To get the required $(4, 7k + 5)$ -semi clique tree decomposition of G , we call $\text{Decompose}(V(G), \emptyset, 0)$ which satisfies all the above invariants. The procedure $\text{Decompose}(W, S, d)$ calls procedures $\text{Decompose}(W', S', d')$ and a new procedure $\text{SplitCliques}(W', S')$ whenever $d = 2$. For these subprocedures, we will show that $|W' \setminus S'| < |W \setminus S|$. Hence by induction on cardinality of $W \setminus S$, we will show the correctness of the Decompose procedure.

The procedure $\text{SplitCliques}(W, S)$ with $S \subset W \subseteq V(G)$ also outputs a rooted $(4, 7k + 5)$ -semi clique tree decomposition of $G[W]$ such that S is contained in the root bag of the tree decomposition. But the invariants under which it works are slightly different which we list below.

- $G[S]$ is a $(3, 5k + 3)$ -semi clique and $W \setminus S \neq \emptyset$.
- $S = N_G(W \setminus S)$.

Notice that the only difference between invariants for Decompose and SplitCliques is the first invariant where we require $G[S]$ to be a $(3, 5k + 3)$ -semi clique for SplitCliques and $(d, 6k + 4)$ -semi clique for Decompose .

The procedure $\text{SplitCliques}(W, S)$ calls procedures $\text{Decompose}(W', S', 2)$ where we will again show that $|W' \setminus S'| < |W \setminus S|$. Hence again by induction on cardinality of $W \setminus S$, we will show the correctness. Now we describe how the procedure Decompose is implemented.

Implementation of $\text{Decompose}(W, S, d)$: Notice that $d \in \{0, 1, 2\}$. Firstly, if $|W \setminus S| \leq k + 1$, we output the tree decomposition as a node r with bag $X_r = W$ and stop. Clearly the graph $G[X_r]$ is a $(4, 7k + 5)$ -semi clique and it contains S . Otherwise, we do the following.

We construct a set \hat{S} with the following properties.

1. $S \subset \hat{S} \subseteq W \subseteq V(G)$.
2. $G[\hat{S}]$ is a $(d + 1, 7k + 5)$ -semi clique. Let $\hat{S} = C' \uplus N'$ where $G[C']$ is the union of $d + 1$ cliques and $|N'| \leq 7k + 5$.
3. Every connected component of $G[W \setminus \hat{S}]$ is adjacent to at most $5k + 3$ vertices of N' .

Since $G[S]$ is a $(d, 6k + 4)$ -semi clique, we have that $S = C \uplus N$, where $G[C]$ is the union of d cliques and $|N| \leq 6k + 4$.

Case 1: $|N| < 5k + 3$. We set $\hat{S} = S \cup \{u\}$, where u is an arbitrary vertex in $W \setminus S$. Note that this is possible as $W \setminus S \neq \emptyset$. Clearly \hat{S} follows all the properties above.

Case 2: $5k + 3 \leq |N| \leq 6k + 4$. Note that $G[W]$ being a subgraph of G also has a chordal vertex deletion set of size at most k if G has it. Applying Corollary 14 for the graph $G[W]$ and the subset N , we either conclude that G has no CVD of size k or get a partition (N_A, N_B) of N , a subset $X \subseteq W$ and a partition $D \uplus Z$ of X , where D is a clique in $G[W]$ and $|Z| \leq k$, in time $\mathcal{O}(2^{7k} \cdot (kn^3 + n^{\omega+1}))$ such that $|N_A|, |N_B| \leq 4k + 2$ and X is a vertex separator of N_A and N_B in the graph $G[W]$.

We define $\hat{S} = S \cup X \cup \{u\}$ where u is an arbitrary vertex in $W \setminus S$. We need to verify that \hat{S} satisfies the required properties.

▷ **Claim 16.** The set \hat{S} satisfies properties (1), (2) and (3).

Proof. Since $u \in W \setminus S$, $S \subset \hat{S}$. Hence \hat{S} satisfies property (1).

We now show that \hat{S} satisfies property (2). Recall that $S = C \uplus N$, where $G[C]$ is the union of d cliques and $|N| \leq 6k + 4$. We define sets $C' = C \cup D$ and $N' = ((N \cup Z) \setminus C') \cup \{u\}$. Notice that $\hat{S} = C' \cup N'$. Clearly $G[C']$ is the union of $d + 1$ cliques. Also $|N'| \leq |N| + |Z| + 1 \leq (6k + 4) + k + 1 \leq 7k + 5$. Thus \hat{S} satisfies property (2).

We now show that \hat{S} satisfies property (3). Recall $\hat{S} = C' \cup N'$, where $C' = C \cup D$ and $N' = ((N \cup Z) \setminus C') \cup \{u\}$. Recall that $X = D \cup Z \subseteq \hat{S}$ is separator of N_A and N_B . where $N = N_A \uplus N_B$ and $|N_A|, |N_B| \leq 4k + 2$. This implies that any connected component H in $G[W \setminus X]$ can contain at most $4k + 2$ vertices from N as the neighborhood of $V(H)$ is contained in X , because X is a separator. Moreover $|Z| \leq k$. This implies that any connected component in $G[W \setminus \hat{S}]$ is adjacent to at most $4k + 2$ vertices in N and at most k vertices in Z , and hence at most $5k + 3$ vertices in $N' = ((N \cup Z) \setminus C') \cup \{u\}$. \triangleleft

Now we define the recursive subproblems arising in the procedure `Decompose` (W, S, d) using the constructed set \hat{S} . If $\hat{S} = W$, then there will not be any recursive subproblem. Otherwise, let P_1, P_2, \dots, P_q be vertex sets of the connected components of $G[W \setminus \hat{S}]$ and $q \geq 1$ because $\hat{S} \neq W$. We have the following cases:

Case 1: $d < 2$. For each $i \in [q]$, recursively call the procedure `Decompose` ($W' = N_G[P_i], S' = N_G(P_i), d + 1$).

We now show that the invariants are satisfied for procedures `Decompose` ($W' = N_G[P_i], S' = N_G(P_i), d + 1$) for all $i \in [q]$. We start by noticing that since $d < 2$, $d + 1 \leq 2$ which is required for the validity of the procedure. Let $Q_i = S' \cap N'$. Note that from condition (3) for \hat{S} , we have $|Q_i| \leq 5k + 3$. Since $S' \setminus Q_i \subseteq C'$ and $G[C']$ is a union of $d + 1$ cliques, $G[S']$ forms a $(d + 1, 5k + 3)$ -semi clique which is also a $(d + 1, 6k + 4)$ -semi clique. Also by definition of neighbourhoods, $P_i = N_G[P_i] \setminus N_G(P_i) = W' \setminus S'$. Since P_i is a non-empty set by definition, $W' \setminus S'$ is non-empty. Hence the first invariant required for the `Decompose` is satisfied. Since $S' = N_G(P_i) = N_G(N_G[P_i] \setminus N_G(P_i)) = N_G(W' \setminus S')$, the second invariant is satisfied.

Case 2: $d = 2$. For each $i \in [q]$, recursively call the procedure `SplitCliques` ($W' = N_G[P_i], S' = N_G(P_i)$). We can show that the invariants for `SplitCliques` are satisfied with the proofs similar to previous case.

We now explain how to construct the $(4, 7k + 5)$ -semi clique tree decomposition using `Decompose` (W, S, d). Here, we assume that `Decompose` ($W', S', d + 1$) and `SplitCliques` (W', S') return a $(4, 7k + 5)$ -semi clique tree decomposition $G[W']$ when $|W' \setminus S'| < |W \setminus S|$. That is, we apply induction on $|W \setminus S|$. Look at the subprocedures `Decompose` (W', S', d) and `SplitCliques` (W', S'). We have $W' \setminus S' = N_G[P_i] \setminus N_G(P_i) = P_i$ which is a subset of $W \setminus \hat{S}$ which in turn is a strict subset of $W \setminus S$. Hence $|W' \setminus S'| < |W \setminus S|$. Hence we apply induction on $|W \setminus S|$ to the subprocedures. Let \mathcal{T}_i be the $(4, 7k + 5)$ -semi clique tree decomposition obtained from the subprocedure with $W' = N_G[P_i]$ and $S' = N_G(P_i)$. Let r_i be the root of \mathcal{T}_i whose associated bag is X_{r_i} . By induction hypothesis $S' \subseteq X_{r_i}$. We create a node r with the corresponding bag $X_r = \hat{S}$. For each $i \in [q]$, we attach \mathcal{T}_i to r by adding edge (r, r_i) . Let us call the tree decomposition obtained so with root r as \mathcal{T} . We return \mathcal{T} as the output of `Decompose` (W, S, d). By construction, it easily follows that \mathcal{T} is a $(4, 7k + 5)$ -semi clique tree decomposition of the graph $G[W]$ with the root bag containing S . We note that when $W = \hat{S}$, the procedure returns a single node tree decomposition with $X_r = W = \hat{S}$.

Implementation of SplitCliques Procedure: Again if $|W \setminus S| \leq k + 1$, we output the tree decomposition as a node r with bag $X_r = W$ and stop. Clearly the graph $G[X_r]$ is a $(4, 7k + 5)$ -semi clique and it contains S . Otherwise we do the following. Let $S = C \uplus N = (C_x \uplus C_y \uplus C_z) \uplus N$ where C_x, C_y and C_z are the vertex sets of the three cliques in $G[C]$. We apply Lemma 15 to graph $G[W]$ and sets C_x, C_y and C_z , to either conclude that G has no CVD of size k or obtain a set Y such that Y separates the sets C_x, C_y and C_z and $G[Y]$ is a $(1, k)$ -semi clique. Let $Y = D \uplus X$ where D is a clique and $|X| \leq k$.

19:12 Structural Parameterizations with Modulator Oblivion

Let $Y' = Y \cup \{u\}$ where u is any arbitrary vertex from $W \setminus S$ which we know to be non-empty. If $S \cup Y' = W$, then it will not call any recursive subproblem. Otherwise, let P_1, P_2, \dots, P_q be the connected components of the graph $G[W \setminus (S \cup Y')]$. We recursively call $\text{Decompose}(W' = N_G[P_i], S' = N_G(P_i), 2)$ for all $i \in [q]$.

Since Y' is a separator of the cliques C_x, C_y and C_z , any connected component P_i will have neighbours to at most one of the three cliques $C_x \setminus Y', C_y \setminus Y'$ and $C_z \setminus Y'$ in $G[W \setminus (S \cup Y')]$. We show that the invariants required for the procedure Decompose are satisfied in these subproblems. Let us focus on the procedure $\text{Decompose}(W' = N_G[P_i], S' = N_G(P_i), 2)$ which has neighbours only to the set $C_x \setminus Y'$. We define sets $C' = C_x \cup D$ and $N' = (N \cup X \cup \{u\}) \setminus C'$. The vertex set P_i has neighbours only to the set $(C_x \uplus N) \cup Y' = (C_x \uplus N) \cup (D \uplus X) \cup \{u\} = (C_x \cup D) \cup (N \cup X \cup \{u\}) = C' \uplus N'$. Clearly $G[C']$ is the union of at most two cliques and $|N'| \leq |N| + |X| + 1 = 5k + 3 + k + 1 \leq 6k + 4$. Hence the first invariant is satisfied for the procedure $\text{Decompose}(N_G[P_i], N_G(P_i), 2)$. The proof of the second invariant is the same as to that of the subproblems of Decompose procedure. The satisfiability of invariants for other subprocedures can also be proven similarly.

We now construct the $(4, 7k + 5)$ -semi clique tree decomposition returned by $\text{SplitCliques}(W, S)$. Again we apply induction on $|W \setminus S|$. Consider the subprocedures $\text{Decompose}(W', S', d)$. We have $W' \setminus S' = N_G[P_i] \setminus N_G(P_i) = P_i$ which is a subset of $W \setminus (S \cup Y')$ which in turn is a strict subset of $W \setminus S$ as $u \in W \setminus S$ is present in Y' . Hence $|W' \setminus S'| < |W \setminus S|$ and we apply induction on $|W \setminus S|$ to the subprocedures. Let \mathcal{T}_i be the $(4, 7k + 5)$ -semi clique tree decomposition obtained from the subprocedure with $W' = N_G[P_i]$ and $S' = N_G(P_i)$. Let r_i be the root of \mathcal{T}_i whose bag X_{r_i} we show contains S' . We create a node r with the corresponding bag $X_r = S \cup Y' = (C_x \uplus C_y \uplus C_z \uplus D) \uplus N'$. For each $i \in [q]$, we attach \mathcal{T}_i to r by adding edge (r, r_i) . Let us call the tree decomposition obtained so with root r as \mathcal{T} . We return \mathcal{T} as the output of $\text{SplitCliques}(W, S, d)$. By construction, it easily follows that \mathcal{T} is a $(4, 7k + 5)$ -semi clique tree decomposition of the graph $G[W]$ with the root bag containing S . We mention that when $W = S \cup Y'$, the procedure returns a single node tree decomposition with $X_r = W$.

Running time analysis: In the procedure Decompose , we invoke Corollary 14 which takes $\mathcal{O}(2^{7k} \cdot (kn^3 + n^{\omega+1}))$ time. For the procedure SplitCliques , we invoke Lemma 15 which takes $\mathcal{O}(4^k \cdot (kn^3 + n^{\omega+1}))$ time. All that is left is to bound the number of calls of the procedures Decompose and SplitCliques . Each time Decompose or SplitCliques is called, it creates a set \hat{S} (in the case of SplitCliques , $\hat{S} = S \cup Y'$) which is a strict superset of S . This allows us to map each call of Decompose or SplitCliques to a unique vertex $u \in \hat{S} \setminus S$ of $V(G)$. Hence the total number of calls of Decompose and SplitCliques is not more than the total number of vertices n . Hence the overall running time of the algorithm which constructs the $(4, 7k + 5)$ -semi clique tree decomposition of G is $\mathcal{O}(2^{7k} \cdot (kn^4 + n^{\omega+2}))$. ◀

4 Structural Parameterizations with Chordal Vertex Deletion Set

► **Theorem 17.** *WEIGHTED d -COLORABLE SUBGRAPH BY CVD can be solved in $d^{4d+7k+5} 2^{3(7k+5)} n^{\mathcal{O}(d)}$ time.*

Proof. First, we use Theorem 1 to construct a $(4, 7k + 5)$ -semi clique tree decomposition $\mathcal{T} = (T, \{X_t\}_{t \in V(T)})$ of G in $\mathcal{O}^*(2^{7k})$ time. Now we use the dynamic programming algorithm on tree decompositions given by Fomin and Golovach (Theorem 1 of [18]) on \mathcal{T} to find the maximum sized induced subgraph H of G such that H is d -colorable. Note that the set $V(G) \setminus V(H)$ is the solution that we are looking for and if its weight is at most ℓ , we return YES. Else we return NO.

This dynamic programming algorithm defines a state $cost(t, S, c)$ for all nodes $t \in V(T)$, subsets $S \subseteq X_t$ such that $G[S]$ is d -colorable and a function $c : S \rightarrow [d]$. Since each bag X_t of \mathcal{T} is a $(4, 7k + 5)$ semi clique, at most d vertices of each clique can be part of S as else there is a presence of a $(d + 1)$ sized clique in S which is not d -colorable. Hence we can bound the size of S as $4d + 7k + 5$ and also bound the number of possible subsets S as $n^{4d+7k+5}$. Number of possible functions c is at most $d^{|S|}$ which is at most $d^{4d+7k+5}$. Hence we bound the number of states as $d^{4d+7k+5} 2^{7k+5} n^{\mathcal{O}(d)}$. For each state, the time taken is $\mathcal{O}(|S|^2)$. Hence the overall running time is $d^{4d+7k+5} 2^{3(7k+5)} n^{\mathcal{O}(d)}$. ◀

► **Corollary 18.** WEIGHTED VERTEX COVER BY CVD and WEIGHTED OCT BY CVD can be solved in $2^{21k} n^{\mathcal{O}(1)}$ and $2^{28k} n^{\mathcal{O}(1)}$ time, respectively.

We can directly use the dynamic programming on bounded treewidth to get algorithms with better running times for WVC BY CVD and WOCT BY CVD and for WFVS BY CVD using the fact that any vertex cover contains all but one from each clique and any odd cycle transversal and feedback vertex set contains all but two from each clique.

► **Theorem 19** (\star).² Given a graph G and an integer k , there exist algorithms that determines that G has no CVD of size k or

- find a minimum weighted vertex cover in $2^{7k} n^{\mathcal{O}(1)}$ time.
- find a minimum weighted odd cycle transversal in $3^{7k} n^{\mathcal{O}(1)}$ time.
- find a minimum weighted feedback vertex set in $2^{\omega 7k} n^{\mathcal{O}(1)}$ time.

Proof.

Proof sketch of algorithm for WVC By CVD: First, we use Theorem 1 to construct a $(4, 7k + 5)$ -semi clique tree decomposition $\mathcal{T} = (T, \{X_t\}_{t \in V(T)})$ of G in $\mathcal{O}^*(2^{7k})$ time. In the tree decomposition $\mathcal{T} = (T, \{X_t\}_{t \in V(T)})$, for any vertex $t \in V(T)$, we call D_t to be the set of vertices that are descendant of t . We define G_t to be the subgraph of G on the vertex set $X_t \cup \bigcup_{t' \in D_t} X_{t'}$. We briefly explain the DP table entries on \mathcal{T} . Arbitrarily root the tree T at a node r . Let $X_t = C_{t,1} \uplus \dots \uplus C_{t,4} \uplus N_t$ where $|N_t| \leq 7k + 5$ and $C_{t,j}$ is a clique in G for all $j \in \{1, \dots, 4\}$. In a standard DP for each node $t \in V(T)$ and $Y \subseteq X_t$, we have a table entry $DP[Y, t]$ which stores the value of a minimum vertex cover S of G_t such that $Y = X_t \cap S$ and if no such vertex cover exists, then $DP[Y, t]$ stores ∞ . In fact we only need to store $DP[Y, t]$ whenever it is not equal to ∞ . Now consider a bag X_t in \mathcal{T} . For any $Y \subseteq X_t$, if $|C_{t,j} \setminus Y| \geq 2$ for any $j \in [4]$, then $DP[Y, t] = \infty$ because $C_{t,j}$ is a clique. Therefore, we only need to consider subsets $Y \subseteq X_t$ for which $|C_{t,j} \setminus Y| \leq 1$ for all $j \in [4]$. The number of choices of such subsets Y is bounded by $\mathcal{O}(2^{7k} n^4)$. This implies that the total number of DP table entries is $\mathcal{O}(2^{7k} n^5)$. All these values can be computed in time $\mathcal{O}(2^{7k} n^{\mathcal{O}(1)})$ time using standard dynamic programming in a bottom up fashion. For more details about dynamic programming over tree decomposition, see [12].

Proof sketch of algorithm for Weighted OCT By CVD: Let $\mathcal{T} = (T, \{X_t\}_{t \in V(T)})$ be a $(4, 7k + 5)$ -semi clique tree decomposition of the input graph G . For any $t \in V(T)$, let $X_t = C_{t,1} \uplus \dots \uplus C_{t,4} \uplus N_t$ where $|N_t| \leq 7k + 5$ and $C_{t,j}$ is a clique in G for all $j \in \{1, \dots, 4\}$. Then, any odd cycle transversal contains all but at most two vertices from each clique $C_{1,j}$, $i \in [4]$. Using this fact we can bound the number of DP table entries to be at most $3^{7k} n^{\mathcal{O}(1)}$. Then, by compute the entries in a bottom up fashion in time $3^{7k} n^{\mathcal{O}(1)}$ using standard arguments.

² A more detailed proof is available in the full version of the paper.

Proof sketch of algorithm for Weighted FVS By CVD: We use the ideas from the DP algorithm for FEEDBACK VERTEX SET using the rank based approach [3]. We again use Theorem 1 to construct a $(4, 7k + 5)$ -semi clique tree decomposition of G . We create an auxiliary graph G' by adding a vertex v_0 to G and making it adjacent to all the vertices of G . Let E_0 be the set of newly added edges. Thus we add v_0 to all the bags to get the tree decomposition $\mathcal{T} = (T, \{X_t\}_{t \in V(T)})$ of G' and this can be done in $\mathcal{O}^*(2^{7k})$ time. We use a dynamic programming algorithm for FEEDBACK VERTEX SET on \mathcal{T} where the number of entries of the DP table we will show to be $2^{7k+5}n^{11}$. Let $X_t = C_{t,1} \uplus \dots \uplus C_{t,4} \uplus N_t$ for all $t \in V(T)$ where $|N_t| \leq 7k + 5$ and $C_{t,j}$ is a clique in G for all $j \in \{1, \dots, 4\}$. For a node $t \in V(T)$, a subset $Y \subseteq X_t$ and integers $i, j \in [n]$, we define the entry $DP[t, Y, i, j]$. The entry $DP[t, Y, i, j]$ stores a partition \mathcal{P} of Y if

- there exists a vertex subset $X \subseteq D_t$, $v_0 \in X$ such that $X \cap X_t = Y$ and
- there exists an edge subset $X_0 \subseteq E(G_t) \cap E_0$ such that in the graph $(X, E(G_t[X \setminus \{v_0\}]) \cup X_0)$, we have i vertices, j edges, no connected component is fully contained in $D_t \setminus X_t$ and the elements of Y are connected according to the partition \mathcal{P} .

We set $DP[t, Y, i, j] = \infty$ if the entry can be inferred to be invalid from Y .

We can claim that FEEDBACK VERTEX SET BY CVD is a yes instance if and only if for the root r of \mathcal{T} with $X_r = \{v_0\}$ and some $i \geq |V| - \ell$, we have $DP[r, \{v_0\}, i, i - 1]$ to be non-empty.

The recurrences for computing $DP[t, Y, i, j]$ remains very similar to that in [3]. Since the number of table entries is $\mathcal{O}(2^{7k}n^{13})$, U is at most $7k + 13$ and \mathcal{A} is at most $2^{|U|}$, we have the total time bounded to be $\mathcal{O}(2^{(\omega-1)7k}(7k)^{\mathcal{O}(1)}2^{7k}n^{13}) = \mathcal{O}(2^{\omega 7k}(7k)^{\mathcal{O}(1)}n^{13})$. Using the ideas from [3], it can be proven that the number of table entries is $\mathcal{O}(2^{7k}n^{13})$ and the total time is $\mathcal{O}(2^{\omega 7k}(7k)^{\mathcal{O}(1)}n^{13})$. ◀

4.1 SETH Lower Bounds

A graph G is called a cluster graph if it is a disjoint union of complete graphs. It can be seen that all cluster graphs are chordal. We define a problem called VERTEX COVER BY CLSVD.

VERTEX COVER BY CLSVD

Input: A graph $G = (V, E)$, $k, \ell \in \mathbb{N}$ and a set $S \subseteq V(G)$ with $|S| \leq k$ such that $G[V \setminus S]$ is a cluster graph.

Parameter: k

Question: Is there a vertex cover of size ℓ in G ?

Assuming SETH, we show that VERTEX COVER BY CLSVD, FVS BY CVD and OCT BY CVD cannot have an $\mathcal{O}^*((2 - \epsilon)^k)$ FPT algorithm. As the class of all cluster graphs is a subclass of the class of chordal graphs, deletion distance to a chordal graph is a smaller parameter. Hence the lower bound also holds for WVC BY CVD.

To show the following theorem, we give a parameterized reduction from HITTING SET parameterized by the size of the universe n to VERTEX COVER BY CLSVD and use the fact that assuming SETH, HITTING SET cannot be solved in $\mathcal{O}^*((2 - \epsilon)^n)$ time.


► **Theorem 20.** VERTEX COVER BY CLSVD cannot be solved in $\mathcal{O}^*((2 - \epsilon)^k)$ time for any $\epsilon > 0$ assuming SETH.

Proof. We give a reduction from HITTING SET defined as follows.

HITTING SET : In any instance of HITTING SET, we are given a set of elements U with $|U| = n$, a family of subsets $\mathcal{F} = \{F \subseteq U\}$ and a natural number k . The objective is to find a set $F \subseteq U$, $|F| \leq k$ such that $S \cap F \neq \emptyset$ for all $S \in \mathcal{F}$.

The problem cannot be solved in $\mathcal{O}^*((2 - \epsilon)^n)$ time assuming SETH [11].

Consider a HITTING SET instance (U, \mathcal{F}) . We construct an instance of VERTEX COVER BY CLSVD as follows. For each element $u \in U$, we add a vertex v_u . For each set $S \in \mathcal{F}$, we add $|S|$ vertices corresponding to the elements in S . We also make the vertices of S into a clique. Finally, for each element $u \in U$, we add edges from v_u to the vertex corresponding to u for each set in \mathcal{F} that contains u . See Figure 1.



■ **Figure 1** Reduction from HITTING SET to VERTEX COVER BY CLSVD.

Note that the set of vertices $\bigcup_{u \in U} v_u$ forms a cluster vertex deletion set of size n for the graph G we constructed.

We claim that there is a hitting set of size k in the instance (U, \mathcal{F}) if and only if there is a vertex cover of size $k + \sum_{S \in \mathcal{F}} (|S| - 1)$ in G .

Let $X \subseteq U$ be the hitting set of size k . For each set $S \in \mathcal{F}$, mark an element of X which intersects S . Now we create a subset of vertices Y in G consisting of vertices corresponding to elements in X plus the vertices corresponding to all the unmarked elements in S for every set $S \in \mathcal{F}$. Clearly $|Y| = k + \sum_{S \in \mathcal{F}} (|S| - 1)$. We claim that Y is a vertex cover of G . Let us look at an edge of G between an element vertex u and its corresponding copy vertex in S containing u . If u is unmarked in S , then it is covered as the vertex corresponding to u in S is present in Y . If it is marked, then the element v_u is present in Y which covers the edge. All the other edges of G have both endpoints in a set $S \in \mathcal{F}$. Since one of them is unmarked, it belongs to Y which covers the edge.

Conversely, let Z be a vertex cover of G of size $k + \sum_{S \in \mathcal{F}} (|S| - 1)$. Since the graph induced on vertices of set S forms a clique for each $S \in \mathcal{F}$, Z should contain all the vertices of the clique except one to cover all the edges of the clique. Let us mark these vertices. This means that at least $\sum_{S \in \mathcal{F}} (|S| - 1)$ of the vertices of Z are not element vertices v_u . Now the remaining k vertices of Z should hit all the remaining edges in G . Suppose it contains another vertex x corresponding to an element u in set $S \in \mathcal{F}$. Since x can only cover the edge from x to the element vertex v_u out of the remaining edges, we could remove x and add v_u as it is not present in Z and still get a vertex cover of G of the same size. Hence we can assume, without loss of generality that all the remaining vertices of Z are element vertices v_u . Let X' be the union of the k elements corresponding to these element vertices. We claim that

X' is a hitting set of (U, \mathcal{F}) of size k . Suppose X' does not hit a set $S \in \mathcal{F}$. Look at the unmarked vertex x in the vertices of S . There is an edge from x to its element vertex v_u . Since $u \notin X'$, this edge is uncovered in G giving a contradiction.

Hence given a HITTING SET instance (U, \mathcal{F}) , we can construct an instance for VERTEX COVER BY CLSVD with parameter n . Hence, if we could solve VERTEX COVER BY CLSVD in $\mathcal{O}^*((2-\epsilon)^k)$ time, we can solve HITTING SET in $\mathcal{O}^*((2-\epsilon)^n)$ time contradicting SETH. ◀

The proof of the following theorem works by modifying the reduction in the above proof to replace edges by triangles.

► **Theorem 21.** *FVS BY CVD and OCT BY CVD given the modulator cannot be solved in $\mathcal{O}^*((2-\epsilon)^k)$ time for any $\epsilon > 0$ assuming SETH.*

Proof. To prove the above theorem, we again give a reduction very similar to the reduction given in the proof of Theorem 20. Consider a HITTING SET instance (U, \mathcal{F}) . To create an instance of FEEDBACK VERTEX SET BY CVD or ODD CYCLE TRANSVERSAL BY CVD, we replace each edge in the above reduction by a triangle. It can be easily shown that the graph obtained after removing the vertices corresponding to elements in U forms a chordal graph. The proof follows on similar lines. ◀

5 Conclusion

Our main contribution is to develop techniques for addressing structural parameterization problems when the modulator is not given. The question, of Fellows et al. about whether there is an FPT algorithm for VERTEX COVER parameterized by perfect deletion set with only a promise on the size of the deletion set, is open. Regarding problems parameterized by chordal deletion set size, though our algorithms are based on treewidth DP, we remark that not all problems that have FPT algorithms when parameterized by treewidth necessarily admit an FPT algorithm parameterized by CVD. For example, DOMINATING SET parameterized by treewidth admits an FPT algorithm [12] while DOMINATING SET parameterized by CVD is para-NP-hard as the problem is NP-hard in chordal graphs [5]. Generalizing our algorithms for other problems, for example, for the optimization problems considered by Liedloff et al. [31] would be an interesting direction.

Finally, we believe that this whole notion of permissive problems need to be explored in many facets of structural parameterizations where finding the modulator is more expensive than solving the problem when the modulator is given.

References

- 1 Akanksha Agrawal, Daniel Lokshtanov, Pranabendu Misra, Saket Saurabh, and Meirav Zehavi. Polylogarithmic approximation algorithms for Weighted-F-Deletion Problems. In *Approximation, Randomization, and Combinatorial Optimization. Algorithms and Techniques, APPROX/RANDOM 2018, August 20-22, 2018 - Princeton, NJ, USA*, pages 1:1–1:15, 2018.
- 2 Hans L. Bodlaender. A linear-time algorithm for finding tree-decompositions of small treewidth. *SIAM Journal on computing*, 25(6):1305–1317, 1996.
- 3 Hans L. Bodlaender, Marek Cygan, Stefan Kratsch, and Jesper Nederlof. Deterministic single exponential time algorithms for connectivity problems parameterized by treewidth. *Information and Computation*, 243:86–111, 2015.
- 4 Hans L. Bodlaender, Pål Gronås Drange, Markus S. Dregi, Fedor V. Fomin, Daniel Lokshtanov, and Michał Pilipczuk. A $c^k n$ 5-approximation algorithm for treewidth. *SIAM Journal on Computing*, 45(2):317–378, 2016.

- 5 Kellogg S. Booth and J. Howard Johnson. Dominating sets in chordal graphs. *SIAM J. Comput.*, 11:191–199, 1982.
- 6 Andreas Brandstädt. On robust algorithms for the maximum weight stable set problem. In *International Symposium on Fundamentals of Computation Theory*, pages 445–458. Springer, 2001.
- 7 Heinz Breu and David G. Kirkpatrick. Unit disk graph recognition is NP-hard. *Comput. Geom.*, 9(1-2):3–24, 1998. doi:10.1016/S0925-7721(97)00014-X.
- 8 Yixin Cao and Dániel Marx. Chordal editing is fixed-parameter tractable. *Algorithmica*, 75(1):118–137, 2016.
- 9 Brent N. Clark, Charles J. Colbourn, and David S. Johnson. Unit disk graphs. *Discrete Mathematics*, 86(1-3):165–177, 1990. doi:10.1016/0012-365X(90)90358-0.
- 10 Derek G. Corneil and Jean Fonlupt. The complexity of generalized clique covering. *Discrete Applied Mathematics*, 22(2):109–118, 1988.
- 11 Marek Cygan, Holger Dell, Daniel Lokshtanov, Dániel Marx, Jesper Nederlof, Yoshio Okamoto, Ramamohan Paturi, Saket Saurabh, and Magnus Wahlström. On problems as hard as CNF-SAT. *ACM Trans. Algorithms*, 12(3):41:1–41:24, 2016. doi:10.1145/2925416.
- 12 Marek Cygan, Fedor V. Fomin, Łukasz Kowalik, Daniel Lokshtanov, Dániel Marx, Marcin Pilipczuk, Michał Pilipczuk, and Saket Saurabh. *Parameterized algorithms*, volume 3. Springer, 2015.
- 13 Marek Cygan, Marcin Pilipczuk, Michał Pilipczuk, and Jakub Onufry Wojtaszczyk. On multiway cut parameterized above lower bounds. *TOCT*, 5(1):3:1–3:11, 2013. doi:10.1145/2462896.2462899.
- 14 R. Diestel. *Graph Theory*. Springer, 2006.
- 15 Rodney G Downey and Michael R Fellows. *Fundamentals of parameterized complexity*, volume 4. Springer, 2013.
- 16 Michael Fellows and Frances Rosamond. The complexity ecology of parameters: an illustration using bounded max leaf number. In *Conference on Computability in Europe*, pages 268–277. Springer, 2007.
- 17 Michael R. Fellows, Bart M.P. Jansen, and Frances Rosamond. Towards fully multivariate algorithmics: Parameter ecology and the deconstruction of computational complexity. *European Journal of Combinatorics*, 34(3):541–566, 2013.
- 18 Fedor V. Fomin and Petr A. Golovach. Subexponential parameterized algorithms and kernelization on almost chordal graphs. *arXiv preprint*, 2020. arXiv:2002.08226.
- 19 Fedor V. Fomin, Petteri Kaski, Daniel Lokshtanov, Fahad Panolan, and Saket Saurabh. Parameterized single-exponential time polynomial space algorithm for steiner tree. In *International Colloquium on Automata, Languages, and Programming*, pages 494–505. Springer, 2015.
- 20 Fedor V. Fomin, Ioan Todinca, and Yngve Villanger. Large induced subgraphs via triangulations and CMSO. *SIAM J. Comput.*, 44(1):54–87, 2015. doi:10.1137/140964801.
- 21 Serge Gaspers and Stefan Szeider. Backdoors to satisfaction. In Hans L. Bodlaender, Rod Downey, Fedor V. Fomin, and Dániel Marx, editors, *The Multivariate Algorithmic Revolution and Beyond - Essays Dedicated to Michael R. Fellows on the Occasion of His 60th Birthday*, volume 7370 of *Lecture Notes in Computer Science*, pages 287–317. Springer, 2012. doi:10.1007/978-3-642-30891-8_15.
- 22 Martin Charles Golumbic. *Algorithmic graph theory and perfect graphs*, volume 57. Elsevier, 2004.
- 23 Michel Habib and Christophe Paul. A simple linear time algorithm for cograph recognition. *Discrete Applied Mathematics*, 145(2):183–197, 2005.
- 24 Pinar Heggenes, Pim van 't Hof, Bart M. P. Jansen, Stefan Kratsch, and Yngve Villanger. Parameterized complexity of vertex deletion into perfect graph classes. *Theor. Comput. Sci.*, 511:172–180, 2013. doi:10.1016/j.tcs.2012.03.013.

- 25 Yoichi Iwata, Yutaro Yamaguchi, and Yuichi Yoshida. 0/1/all csps, half-integral a-path packing, and linear-time FPT algorithms. In *2018 IEEE 59th Annual Symposium on Foundations of Computer Science (FOCS)*, pages 462–473. IEEE, 2018.
- 26 Bart M.P. Jansen. *The power of data reduction: Kernels for fundamental graph problems*. PhD thesis, Utrecht University, 2013.
- 27 Bart M.P. Jansen and Hans L. Bodlaender. Vertex cover kernelization revisited. *Theory of Computing Systems*, 53(2):263–299, 2013.
- 28 Bart M.P. Jansen and Marcin Pilipczuk. Approximation and kernelization for chordal vertex deletion. In *Proceedings of the Twenty-Eighth Annual ACM-SIAM Symposium on Discrete Algorithms*, pages 1399–1418. Society for Industrial and Applied Mathematics, 2017.
- 29 Bart M.P. Jansen, Venkatesh Raman, and Martin Vatshelle. Parameter ecology for feedback vertex set. *Tsinghua Science and Technology*, 19(4):387–409, 2014.
- 30 Eun Jung Kim and O-joung Kwon. Erdős-pósa property of chordless cycles and its applications. In *Proceedings of the Twenty-Ninth Annual ACM-SIAM Symposium on Discrete Algorithms*, pages 1665–1684. SIAM, 2018.
- 31 Mathieu Liedloff, Pedro Montealegre, and Ioan Todinca. Beyond classes of graphs with "few" minimal separators: FPT results through potential maximal cliques. *Algorithmica*, 81(3):986–1005, 2019. doi:10.1007/s00453-018-0453-2.
- 32 Daniel Lokshantov, NS Narayanaswamy, Venkatesh Raman, M.S. Ramanujan, and Saket Saurabh. Faster parameterized algorithms using linear programming. *ACM Transactions on Algorithms (TALG)*, 11(2):15, 2014.
- 33 Diptapriyo Majumdar and Venkatesh Raman. Structural parameterizations of undirected feedback vertex set: FPT algorithms and kernelization. *Algorithmica*, 80(9):2683–2724, 2018.
- 34 Diptapriyo Majumdar, Venkatesh Raman, and Saket Saurabh. Polynomial kernels for vertex cover parameterized by small degree modulators. *Theory Comput. Syst.*, 62(8):1910–1951, 2018. doi:10.1007/s00224-018-9858-1.
- 35 Kazuhisa Makino and Takeaki Uno. New algorithms for enumerating all maximal cliques. In *Scandinavian Workshop on Algorithm Theory*, pages 260–272. Springer, 2004.
- 36 Vijay Raghavan and Jeremy P. Spinrad. Robust algorithms for restricted domains. *J. Algorithms*, 48(1):160–172, 2003. doi:10.1016/S0196-6774(03)00048-8.
- 37 Neil Robertson and Paul D. Seymour. Graph minors. xiii. the disjoint paths problem. *Journal of combinatorial theory, Series B*, 63(1):65–110, 1995.
- 38 Jeremy P. Spinrad. *Efficient graph representations*. American Mathematical Society, 2003.